



# CUTTING TOOLS



**NEW**

## PRICE LIST

With Effective From : 25-01-2026



# INDEX

## CARBIDE DRILLS

---

- DRILL – HRC55 – 2 FLUTE 3-7
- SPOT DRILL (90°) – HRC55 – 2 FLUTE 13

## SQUARE ENDMILLS

---

- HRC45 – 4 FLUTE 8
- HRC55 – 4 FLUTE 9-10
- HRC65 – 4 FLUTE 11

## BALLNOSE ENDMILLS

---

- HRC45 – 2 FLUTE 14
- HRC55 – 2 FLUTE 15
- HRC55 – 4 FLUTE 16

## LONG NECK ENDMILLS

---

- HRC55 – 2 FLUTE 12
- HRC55 – 4 FLUTE 12

## KEY WAY ENDMILLS

---

- KEY WAY ENDMILL - HRC55 – 2 FLUTE 12

## UNCOATED ENDMILLS


---

- ALUMINIUM ENDMILL - HRC55 – 3 FLUTE 13

## INDEXABLE TOOLING

---

- INDEXABLE ENDMILL (APMT / RPMT) 17
- FACE MILL CUTTER (APMT / RPMT) 17
- U-DRILL (SPMG) 18-19



## SOLID CARBIDE DRILL

### HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
0.5	12	0.5	34	440
0.6	12	0.6	34	440
0.7	12	0.7	34	440
0.8	12	0.8	34	440
0.9	12	0.9	34	440
1	20	1	40	440
1	12	1	49	440
1.1	12	1.1	49	440
1.2	12	1.2	49	440
1.3	20	1.3	40	440
1.3	12	1.3	49	440
1.4	20	1.4	40	440
1.4	12	1.4	49	440
1.5	18	1.5	40	440
1.5	20	1.5	40	460
1.6	18	1.6	40	440
1.6	20	1.6	40	460
1.7	18	1.7	40	440
1.8	18	1.8	40	440
1.8	20	1.8	40	460
1.9	18	1.9	40	440
2	20	2	40	440
2	24	2	49	460
2.1	30	2.1	57	485
2.2	30	2.2	57	485
2.3	25	2.3	50	460
2.3	30	2.3	57	485
2.4	30	2.4	57	485
2.5	25	2.5	50	460
2.5	30	2.5	57	485
2.6	35	2.6	65	530
2.7	25	2.7	50	460
2.7	35	2.7	65	530
2.8	25	2.8	50	460
2.8	35	2.8	65	530
2.9	35	2.9	65	530
3	25	3	50	505
3	35	3	65	530

CONT...



HRC55 (2F)  
SOLID CARBIDE DRILL

## SOLID CARBIDE DRILL HRC55 (2 FLUTE)



HRC55 (2F)  
SOLID CARBIDE DRILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
3.1	35	3.1	65	775
3.2	25	3.2	50	740
3.2	35	3.2	65	775
3.3	35	3.3	65	775
3.3	40	3.3	75	900
3.3	50	3.3	100	990
3.4	35	3.4	65	775
3.5	25	3.5	50	740
3.5	35	3.5	65	775
3.6	25	3.6	50	740
3.6	35	3.6	65	775
3.7	35	3.7	65	775
3.8	25	3.8	50	740
3.8	35	3.8	65	775
3.9	35	3.9	65	775
4	25	4	50	740
4	35	4	65	775
4.1	40	4.1	75	1285
4.2	40	4.2	75	1285
4.3	40	4.3	75	1285
4.3	50	4.3	100	1515
4.4	40	4.4	75	1285
4.4	50	4.4	100	1515
4.5	40	4.5	75	1285
4.5	50	4.5	100	1515
4.6	40	4.6	75	1285
4.6	50	4.6	100	1515
4.7	40	4.7	75	1285
4.8	40	4.8	75	1285
4.9	40	4.9	75	1285
5	40	5	75	1285
5	50	5	100	1515
5.1	40	5.1	75	1735
5.1	50	5.1	100	2010
5.2	40	5.2	75	1735
5.2	50	5.2	100	2010
5.3	40	5.3	75	1735
5.4	40	5.4	75	1735

CONT...

## SOLID CARBIDE DRILL HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
5.5	40	5.5	75	1735
5.5	50	5.5	100	2010
5.6	40	5.6	75	1735
5.6	50	5.6	100	2010
5.7	40	5.7	75	1735
5.8	40	5.8	75	1735
5.8	50	5.8	100	2010
5.9	40	5.9	75	1735
6	40	6	75	1735
6	50	6	100	2010
6.1	60	6.1	100	2925
6.2	50	6.2	100	2855
6.2	60	6.2	100	2925
6.3	50	6.3	100	2855
6.3	60	6.3	100	2925
6.4	60	6.4	100	2925
6.5	60	6.5	100	2925
6.6	60	6.6	100	2925
6.7	60	6.7	100	2925
6.8	50	6.8	100	2855
6.8	60	6.8	100	2925
6.9	50	6.9	100	2855
6.9	60	6.9	100	2925
7	50	7	100	2855
7	60	7	100	2925
7.1	50	7.1	100	3570
7.1	60	7.1	100	3670
7.2	50	7.2	100	3570
7.2	60	7.2	100	3670
7.3	50	7.3	100	3570
7.3	60	7.3	100	3670
7.4	60	7.4	100	3670
7.5	60	7.5	100	3670
7.6	50	7.6	100	3570
7.6	60	7.6	100	3670
7.7	60	7.7	100	3670
7.8	50	7.8	100	3570
7.8	60	7.8	100	3670

CONT...



HRC55 (2F)  
SOLID CARBIDE DRILL

## SOLID CARBIDE DRILL HRC55 (2 FLUTE)



HRC55 (2F)  
SOLID CARBIDE DRILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
7.9	60	7.9	100	3670
8	50	8	100	3570
8	60	8	110	3670
8.1	60	8.1	110	4400
8.2	60	8.2	110	4400
8.3	60	8.3	110	4400
8.4	50	8.4	100	4285
8.4	60	8.4	110	4400
8.5	50	8.5	80	3610
8.5	60	8.5	110	4400
8.6	50	8.6	100	4285
8.6	60	8.6	110	4400
8.7	50	8.7	100	4285
8.7	60	8.7	110	4400
8.8	50	8.8	100	4285
8.8	60	8.8	110	4400
8.9	50	8.9	100	4285
8.9	60	8.9	110	4400
9	50	9	100	4285
9	60	9	110	4400
9.1	50	9.1	100	5405
9.1	60	9.1	110	5535
9.2	50	9.2	100	5405
9.2	60	9.2	110	5535
9.3	60	9.3	110	5535
9.4	60	9.4	110	5535
9.5	50	9.5	100	5405
9.5	60	9.5	110	5535
9.6	60	9.6	110	5535
9.7	50	9.7	100	5405
9.7	60	9.7	110	5535
9.8	50	9.8	100	5405
9.8	60	9.8	110	5535
9.9	60	9.9	110	5535
10	50	10	100	5405
10	65	10	110	5535
10.1	65	10.1	110	6570
10.2	50	10.2	100	6425
10.2	65	10.2	110	6570

CONT...

## SOLID CARBIDE DRILL

### HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
10.3	50	10.3	100	6425
10.3	65	10.3	110	6570
10.4	50	10.4	100	6425
10.4	65	10.4	110	6570
10.5	65	10.5	110	6570
10.6	50	10.6	100	6425
10.6	65	10.6	110	6570
10.7	50	10.7	100	6425
10.7	65	10.7	110	6570
10.8	65	10.8	110	6570
10.9	50	10.9	100	6425
10.9	65	10.9	110	6570
11	65	11	110	6570
11.1	50	11.1	100	6915
11.1	65	11.1	110	7060
11.2	50	11.2	100	6915
11.2	65	11.2	110	7060
11.5	50	11.5	100	6915
11.5	65	11.5	110	7060
12	65	12	110	7670
12.1	50	12.1	100	8760
12.1	65	12.1	110	8905
12.2	50	12.2	100	8760
12.2	65	12.2	110	8905
12.3	65	12.3	110	8905
12.4	50	12.4	100	8760
12.4	65	12.4	110	8905
12.5	65	12.5	110	8905
12.6	65	12.6	110	8905
12.7	50	12.7	100	8760
12.7	65	12.7	110	8905
12.8	65	12.8	110	8905
12.9	50	12.9	100	8760
12.9	65	12.9	110	8905
13	65	13	110	8905
13.5	50	13.5	100	10810
13.5	65	13.5	110	11200
14	50	14	100	10810
14	65	14	110	11200



HRC55 (2F)  
SOLID CARBIDE DRILL

## SOLID CARBIDE SQUARE ENDMILL HRC45 (4 FLUTE)



HRC45 (4F)  
CARBIDE SQUARE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	355
1.5	4	4	50	355
2	5	4	50	355
2.5	7	4	50	355
3	8	3	50	355
3	8	4	50	355
3	12	3	75	560
3	15	3	100	800
3.5	10	4	50	355
4	10	4	50	355
4	16	4	75	560
4	20	4	100	800
4.5	12	6	50	665
5	13	5	50	676
5	20	5	75	1115
5	30	5	100	1330
6	15	6	50	675
6	25	6	75	1115
6	30	6	100	1330
6	45	6	150	2490
8	20	8	60	1300
8	28	8	75	1790
8	35	8	100	2230
8	50	8	150	4180
10	25	10	75	2450
10	40	10	100	3425
10	50	10	150	5640
10	65	10	200	7760
12	30	12	75	3500
12	45	12	100	4800
12	60	12	150	7570
12	70	12	200	11150
14	45	14	100	6670
14	60	14	150	14000
16	45	16	100	8535
16	60	16	150	13935
18	45	18	100	10640
18	70	18	150	19200
20	45	20	100	13120
20	70	20	150	19520

## SOLID CARBIDE SQUARE ENDMILL HRC55 (4 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	445
1.5	5	4	50	445
2	6	4	50	445
2.5	8	4	50	445
3	9	3	50	445
3	9	4	50	445
3	9	6	50	1045
3	25	3	75	700
3	40	3	100	1000
3.5	11	4	50	445
4	12	4	50	445
4	12	6	50	1045
4	25	4	75	700
4	40	4	100	1000
4.5	15	6	50	830
5	13	5	50	845
5	13	6	50	800
5	24	5	75	1395
5	45	5	100	1665
6	15	6	50	845
6	24	6	75	1395
6	45	6	100	1665
6	50	6	150	3110
7	24	7	60	2380
7	28	7	100	3365
7	50	7	150	4555
8	24	8	60	1625
8	28	8	75	2240
8	45	8	100	2790
8	50	8	150	5225
9	25	9	60	3550
9	30	9	100	5115
9	50	9	150	7000
10	25	10	75	3065
10	50	10	100	4280
10	60	10	150	7050
10	65	10	200	9700
12	30	12	75	4375
12	50	12	100	6000
12	60	12	150	9460
12	70	12	200	13935

CONT...



HRC55 (4F)  
CARBIDE SQUARE ENDMILL

## SOLID CARBIDE SQUARE ENDMILL HRC55 (4 FLUTE)



HRC55 (4F)  
CARBIDE SQUARE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
13	45	13	100	10500
13	70	13	150	16700
14	45	14	100	8340
14	70	14	150	17500
16	45	16	100	10670
16	80	16	150	17420
16	85	16	200	24885
17	45	17	100	18000
18	45	18	100	13300
18	80	18	150	24000
20	45	20	100	16400
20	80	20	150	24400
20	90	20	200	35830

## SOLID CARBIDE SQUARE ENDMILL HRC65 (4 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	825
1.5	4.5	4	50	825
2	6	4	50	825
2.5	7.5	4	50	825
3	9	3	50	825
3	12	3	75	1100
3	25	3	100	1270
4	12	4	50	825
4	15	4	75	1100
4	25	4	100	1270
5	13	5	50	1445
5	20	5	75	1940
5	30	5	100	2390
6	15	6	50	1445
6	24	6	75	1940
6	30	6	100	2390
8	24	8	60	2390
8	25	8	75	3090
8	45	8	100	3780
10	25	10	75	4090
10	50	10	100	5575
12	30	12	75	5850
12	50	12	100	7590
16	45	16	100	12690
20	45	20	100	22400



HRC65 (4F)  
CARBIDE SQUARE ENDMILL



HRC55 (4F)  
CARBIDE LONG NECK ENDMILL

### SOLID CARBIDE LONG NECK ENDMILL HRC55 (4 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	NECK LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
0.5	1	8	4	50	1290
0.8	1.6	10	4	50	1290
1	3	12	4	50	845
1	3	16	4	50	845
1	3	20	4	50	845
1.5	4.5	12	4	50	845
1.5	4.5	16	4	50	845
1.5	4.5	20	4	50	845
2	6	12	4	50	845
2	6	16	4	50	845
2	6	20	4	50	845
2.5	7.5	12	4	50	845
2.5	7.5	16	4	50	845
2.5	7.5	20	4	50	845
3	9	12	4	50	845
3	9	16	4	50	845
3	9	20	4	50	845

CUTTING DIAMETER BELOW 1 MM COMES IN 2 FLUTE.



HRC55 (2F)  
CARBIDE KEY WAY ENDMILL

### SOLID CARBIDE KEY WAY ENDMILL HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	445
3	9	3	50	445

# CUTTING TOOLS

## SOLID CARBIDE ALUMINIUM ENDMILL HRC55 (3 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	445
1.5	4.5	4	50	445
2	6	4	50	445
2.5	8	4	50	445
3	9	3	50	445
4	12	4	50	445
5	15	5	50	890
6	18	6	50	890
8	24	8	60	1800
10	30	10	75	3400
12	35	12	75	4850
16	45	16	100	11800



HRC55 (3F)  
CARBIDE ALUMINIUM ENDMILL

## SOLID CARBIDE SPOT DRILL (90 DEG) HRC55 (2 FLUTE)

CUTTING DIAMETER	DEGREE	SHANK DIAMETER	TOTAL LENGTH	PRICE
4	90	4	50	550
6	90	6	50	1065
8	90	8	60	2075
10	90	10	75	3750
12	90	12	75	5250



HRC55 (2F)  
CARBIDE SPOT DRILL (90°)

## SOLID CARBIDE BALLNOSE ENDMILL HRC45 (2 FLUTE)



HRC45 (2F)  
CARBIDE BALLNOSE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	2	4	50	465
1.5	3	4	50	465
2	4	4	50	465
2.5	5	4	50	465
3	6	3	50	465
3	6	3	75	720
3	6	3	100	955
3.5	7	4	50	465
4	8	4	50	465
4	8	4	75	720
4	8	4	100	955
5	10	5	50	890
5	10	5	75	1415
5	10	5	100	1780
6	12	6	50	890
6	12	6	75	1415
6	12	6	100	1780
8	16	8	60	1690
8	16	8	75	2220
8	16	8	100	2750
10	20	10	75	2835
10	20	10	100	3810
10	20	10	150	6560
12	24	12	75	3850
12	24	12	100	5625
12	24	12	150	9520
14	28	14	100	8040
14	28	14	150	11900
16	32	16	100	9070
16	32	16	150	14175
18	36	18	100	12270
18	36	18	150	19340
20	40	20	100	14390
20	40	20	150	21150

## SOLID CARBIDE BALLNOSE ENDMILL HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	2	4	50	550
1.5	3	4	50	550
2	4	4	50	550
2.5	5	4	50	550
3	6	3	50	550
3	6	3	75	845
3	6	3	100	1125
3.5	7	4	50	550
4	8	4	50	550
4	8	4	75	845
4	8	4	100	1125
5	10	5	50	1045
5	10	5	75	1665
5	10	5	100	2095
6	12	6	50	1045
6	12	6	75	1665
6	12	6	100	2095
8	16	8	60	1990
8	16	8	75	2615
8	16	8	100	3235
10	20	10	75	3335
10	20	10	100	4485
10	20	10	150	7715
12	24	12	75	4535
12	24	12	100	6620
12	24	12	150	11200
14	28	14	100	9460
14	28	14	150	14000
16	32	16	100	10670
16	32	16	150	16675
18	36	18	100	14435
18	36	18	150	22750
20	40	20	100	16925
20	40	20	150	24885



HRC55 (2F)  
CARBIDE BALLNOSE ENDMILL

## SOLID CARBIDE BALLNOSE ENDMILL HRC55 (4 FLUTE)



HRC55 (4F)  
CARBIDE BALLNOSE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	2	4	50	675
1.5	3	4	50	675
2	4	4	50	675
2.5	5	4	50	675
3	6	3	50	675
3	6	3	75	1045
3	6	3	100	1245
3.5	7	4	50	675
4	8	4	50	675
4	8	4	75	1045
4	8	4	100	1245
5	10	5	50	1195
5	25	5	75	1895
5	30	5	100	2365
6	12	6	50	1195
6	25	6	75	1895
6	30	6	100	2365
8	16	8	60	2240
8	25	8	75	2990
8	35	8	100	3735
8	50	8	150	6350
10	20	10	75	3785
10	45	10	100	5225
10	70	10	150	9460
12	24	12	75	4973
12	45	12	100	7270
12	70	12	150	12190
14	45	14	100	9953
16	45	16	100	11750
18	45	18	100	19750
20	45	20	100	18050



# CUTTING TOOLS

## INDEXABLE ENDMILL

### BAP300R (AP11) / EMR5R (RP10)

CUTTING DIAMETER	SHANK DIAMETER	TOTAL LENGTH	NO. OF TEETH	PRICE
10	10	100	1T	800
12	12	120	1T	800
16	16	150	2T	915
16	16	200	2T	1140
20	20	150	2T	1255
20	20	200	2T	1370
20	20	250	2T	1940
20	20	300	2T	3300

### BAP400R (AP16) / EMR6R (RP12)

CUTTING DIAMETER	SHANK DIAMETER	TOTAL LENGTH	NO. OF TEETH	PRICE
25	25	150	2T	1430
25	25	200	2T	1595
25	25	250	2T	2350
25	25	300	2T	4020
32	32	200	3T	2050
32	32	250	3T	3690
32	32	300	3T	4350
40	32	200	3T	3940
40	32	250	3T	4900
40	32	300	3T	5040

## FACE MILL CUTTER

### BAP400R (AP16) / EMR6R (RP12)

CUTTING DIAMETER	BORE DIAMETER	NO. OF TEETH	PRICE
50	22	4T	1600
63	22	4T	1600
80	27	6T	3020
100	32	6T	4160
125	40	7T	7575
160	40	8T	11050



INDEXABLE ENDMILL  
APMT / RPMT



FACE MILL CUTTER  
APMT / RPMT

## HIGH PRECISION U-DRILL SPMG SERIES



SPMG  
U-DRILL

CUTTING DIAMETER	SHANK DIAMETER	2D PRICE	3D PRICE	4D PRICE
------------------	----------------	----------	----------	----------

### SPMG04

10	20	1750	1875	-
10.5	20	1840	1970	-
11	20	1925	2065	-
11.5	20	2015	2155	-
12	20	2100	2250	-

### SPMG05

12.5	20	2190	2345	-
13	20	2275	2440	3090
13.5	20	2365	2530	3205

### SPMG05

14	20	1750	1925	2275
14.5	20	1815	1995	2355
15	25	1875	2065	2440
15.5	25	1940	2130	2520
16	25	2000	2200	2600
16.5	25	2065	2270	2680

### SPMG06

17	25	2125	2340	2765
17.5	25	2190	2405	2845
18	25	2250	2475	2925
18.5	25	2315	2545	3005
19	25	2375	2615	3090
19.5	25	2440	2680	3170
20	25	2500	2750	3250
20.5	25	2565	2820	3330
21	25	2625	2890	3415
21.5	25	2690	2955	3495

### SPMG07

22	25	2750	3025	3575
22.5	25	2815	3095	3655
23	25	2875	3165	3740
23.5	25	2940	3230	3820
24	25	3000	3300	3900
24.5	25	3065	3370	3980
25	25	3125	3440	4065
25.5	32	3190	3505	4145
26	32	3250	3575	4225
26.5	32	3315	3645	4305
27	32	3375	3715	4390
27.5	32	3440	3780	4470

CONT...

## HIGH PRECISION U-DRILL SPMG SERIES

CUTTING DIAMETER	SHANK DIAMETER	2D PRICE	3D PRICE	4D PRICE
------------------	----------------	----------	----------	----------

### SPMG09

28	32	3500	3850	4550
28.5	32	3565	3920	4630
29	32	3625	3990	4715
29.5	32	3690	4055	4795
30	32	3750	4125	4875
30.5	32	3815	4195	4955
31	32	3875	4265	5040
31.5	32	3940	4330	5120
32	32	4000	4400	5200
32.5	32	4065	4470	5280
33	32	4125	4540	5365
33.5	32	4190	4605	5445

### SPMG11

34	32	4250	4675	5525
34.5	32	4315	4745	5605
35	32	4375	4815	5690
35.5	32	4440	4880	5770
36	32	4500	4950	5850
36.5	32	4565	5020	5930
37	32	4625	5090	6015
37.5	32	4690	5155	6095
38	32	4750	5225	6175
38.5	32	4815	5295	6255
39	32	4875	5365	6340
39.5	32	4940	5430	6420
40	32	5000	5500	6500

### SPMG14

45	40	5625	6190	7315
50	40	6250	6875	8125

### SPMG07 (4 POCKETS)

51	40	6375	7015	8290
----	----	------	------	------



SPMG  
U-DRILL



**CUTTING TOOLS**